



aw
some
Creating

MIRROR SERIES
600x600mm

GVT
PGVT TILES
600x600mm / MIRROR



EXPLORE THE
Impressions

Art & Design

Blend with Technology

— ABOUT

I'm synonym of Luxury. In the gated community, I am the most coveted brand. The Tile develops its own luxury of modernism. They have blended traditional and outstanding art of fashion, into an extraordinary tile. That's me.

Try, test and triumph on Luxury. Alone I out smart; together stand with brilliance and in a community omnipresent. Feel good effect, tones and versions inspire variations in romance. Believe me, I behold ever lasting – ever shining – ever charming Luxury.



NEW
LUXURY
timeless legacies

Elegance without losing
the minimalist touch, wrapped
with earthy colors in the burst
of charming shine.

GVT
PGVT TILES

600x
600mm

Inspiring
Reflections
MIRROR COLLECTION





The
fusion
of
nature
and
architecture
in a
single
concept

GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES




ADVANCE WHITE



ANTIQ BLUE



BELMONT BEIGE



BELMONT WHITE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES





CALIFON BROWN




CARIATI



CRACK BEIGE



CRACK GREY



HD Clarity



High Strength



Stain Resistant




Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



CRYSTAL ORANGE



CUSSASI BLUE



DAINA MARFIL



DELFOB BROWN



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm


DIGITAL
GLAZED
VITRIFIED
TILES



DELFOF GREY




DEO BLUE



DEO CREMA



DEO GREY



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



DEO NATURAL




DRIFT BEIGE



DOMINICA BROWN



DOMINICA BLUE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs




GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



FAIRY WHITE



FLEMINGO



GESTO GOLD



GESTO GREY



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



LIBRA BEIGE




LIBRA BROWN



LINE WOOD



LUMIA BROWN



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



LUMBER BLUE




LUMBER BROWN



LUMBER GREY



MAC CARRARA



HD Clarity



High Strength



Stain Resistant




Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm


DIGITAL
GLAZED
VITRIFIED
TILES




MIAMI WHITE




NEONEX GRIS



NIKESA WHITE



NILANGE BLUE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES




OCEANIC



OLEMPIA NATURAL



OLAB GREY



OLAB BROWN



HD Clarity



High Strength



Stain Resistant




Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES




ROMA BEIGE



ROMER BEIGE



ROMER BLUE



ROMER NATURAL



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs




GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm



DIGITAL
GLAZED
VITRIFIED
TILES





SEVEN BROWN




SEVEN BLUE



SATURN BLUE



SATURN



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



ROYALE ONYX




SHACK GREY



SPANIS BLUE



SQUARE WHITE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm


DIGITAL
GLAZED
VITRIFIED
TILES



STAR BLANCO



TENERE BLUE



SWAN BEIGE



SWAN COLD



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs




GVT
PGVT TILES
— MIRROR


GLOSSY
FINISH

600x
600mm


DIGITAL
GLAZED
VITRIFIED
TILES



UNITY BLUE



VENEXY BLUE



VENEZULA BEIGE



VENEZULA MARBLE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm


DIGITAL
GLAZED
VITRIFIED
TILES



VENEZULA NATURAL



VIME GREY



WHITE FALL



WHITETIGER



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



BENIN BEIGE



CARTIER BEIGE



ELYSIAN BEIGE



EMPORIO BEIGE



HD Clarity



High Strength



Stain Resistant



Super Flatness



Low Maintenance



Random designs



GVT
PGVT TILES
— MIRROR

GLOSSY
FINISH

600x
600mm

DIGITAL
GLAZED
VITRIFIED
TILES



HD Clarity



High Strength



Stain Resistant



Super Flatness




Low Maintenance



Random designs



VENETA WHITE



LASA GOLD



WHAT WE DO

- Tile, Kitchen and Bathroom equipment, hardwood, installation materials, solid surface, installation systems (one stop shop)
- Our strict testing and quality controls (shade and caliber consistency), ensure our standards are above industry standards
- Use of environmentally friendly technologies and production methods
- Latest in Double Charged design, well ahead of independent distributors
- Large product offering that will satisfy the needs of every project, budget or application; commercial or residential, contemporary or traditional


SERVICES

- Design Consultation
- Customer Service
- In-stock selections
- Delivery
- Worldwide logistics

MARKETS WE SERVICE



Residential



Hospitality



Restaurants/ Bars



Institutional/ Municipal



Multi-Unit



Retail



Commercial



Corporate/ Office



Healthcare

TECHNICAL SPECIFICATION

| SR. NO. | CHARACTERISTICS | STANDARD AS PER ISO 13006/EN 14411 GROUP BIA | OUR VALUE | TEST METHOD |
|--------------------------------------|---|--|-----------------------------|--------------|
| Regulatory Properties | | | | |
| 1 | Deviation in length & Width | ±0.5 % | ±0.1 % | ISO-10545-2 |
| 2 | Deviation in thickness | ±5.0 % | ±4.0 % | ISO-10545-2 |
| 3 | Straightness of sides | ±0.5 % | ±0.1 % | ISO-10545-2 |
| 4 | Rectangularity | ±0.5 % | ±0. % | ISO-10545-2 |
| 5 | Surface flatness | ±0.5 % | ±0.2 % | ISO-10545-2 |
| 6 | Colour difference | Unaltered | No change | ISO-10545-16 |
| 7 | Glossiness | As per. mfg. | Min. 90% | GLOSSO Mtr. |
| Structural Properties | | | | |
| 8 | Water absorption | <0.50% | <0.20 % | ISO-10545-3 |
| 9 | Apparent density | >2.0 g/cc | >2.10 g/cc | DIN 51082 |
| Massive Mechanical Properties | | | | |
| 10 | Modulus of rupture | Min. 35 N/mm ² | Min. 40 N/mm ² | ISO-10545-4 |
| 11 | Impact resistance | As. per. mfg. | Min.0.55 | ISO-10545-5 |
| Surface Mechanical Properties | | | | |
| 12 | Surface abrasion resistance | As. per. mfg. | Min.Class-3 | ISO-10545-7 |
| 13 | MOH's hardness | As. per. mfg. | Min.4 | EN 101 |
| Thermo Hydrometric Properties | | | | |
| 14 | Frost resistance | No Damage | No Damage | ISO-10545-12 |
| 15 | Thermal shock resistance | No Damage | No Damage | ISO-10545-9 |
| 16 | Moisture expansion | Null | Null | ISO-10545-10 |
| 17 | Thermal expansion(COE) | Max. 9.0 x 10 ⁻⁶ | Max. 6.5 x 10 ⁻⁶ | ISO-10545-8 |
| 18 | Crazing resistance | As. per. mfg. | Min. 10 Cycle | ISO-10545-11 |
| Chemical Properties | | | | |
| 19 | Chemical resistance | No Damage | No Damage | ISO-10545-13 |
| 20 | Stain resistance | Resistance | Resistance | ISO-10545-14 |
| Thermo Hydrometric Properties | | | | |
| 21 | Anti skid (COF) | As. per. mfg. | Matt<0.52,Glossy<0.21 | ISO-10545-17 |
| 22 | Slip resistance | As. per. mfg. | <144 mm ² | ISO-10545-17 |
| 23 | Fire resistance | As. per. mfg. | Fireproof | N.A. |
| 24 | Lead &Cadmium given off by glazed tiles | As. per. mfg. | Dose not yelld pb & cd | ISO-10545-7 |

PACKING DETAILS

| Sr.No. | Dimensions (mm) | No. of Tiles / Boxes | Coverage Area in Sq.Mtr. | Approx Weight / Box |
|--------|-----------------|----------------------|--------------------------|---------------------|
| 1 | 600 x 600 | 4 | 1.44 Sq.Mtr. | 27.00 Kgs. Approx |

DISCLAIMER : COMPANY reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED. Complaint of decoration done outside COMPANY's facilities will not be entertained.

NOTES:

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing. we advise you to follow the fixing instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

GENERAL NOTES:

Any Complaint must be must be brought to the company's notice within 10 days of purchase & before fixing of tiles

EXCLUSIVE APPLICATIONS





 +91 70168 69573

 Toplexgroupofcompany@gmail.com