



TOPLEX
— GROUP OF COMPANY —



aw
some
Creating

DIGITAL WALL TILES

300x600mm





A B O U T
U S

TOPLEX is an ultra-modern wall tile manufacturer located at Morbi, Gujarat. **TOPLEX** is currently manufacturing wall tiles having vivid sizes.

Our vision is to provide our quality product all across the globe. We are planning to create every type of wall tiles with distinct textures, design, and colors. **TOPLEX** have united the toughness of Wall tiles with modern technology and customer aspirations to produce a range that is vast in choice. The motto is to be the best and to achieve the highest parameters of excellence.

feel

E L E
G A N T

300x600MM
DIGITAL WALL TILES



The material vibrates with light on the surface, transmitting a bewitchingly tactile, sensation of enveloping, protective warmth. This product brings together the sophisticated roots of craft tradition, adapting them to the needs of the contemporary home.

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6001-LT



6001-HL-1



6001-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6001



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6002-HI-1-P1



6002-HI-1-P2



6002-HI-1-P3



6002-LT

DIGITAL 300X
WALL TILES 600mm

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6002-LT




6002-HL-2



6002-LT

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6002



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6003-LT



6003-HL-1



6003-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6003



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6004-LT



6004-HL-1



6004-HL-2



6004-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6004



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6005-LT




6005-HL-1



6005-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6005



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6006-LT




6006-HL-1



6006-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6006



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6007-LT




6007-HL-1



6007-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6007



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6008-LT




6008-HL-1



6008-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6008



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6009-LT



6009-HL-1



6009-HL-2



6009-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6009



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6010-LT




6010-HL-1



6010-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6010



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6011-LT



6011-HL-1



6011-HL-2



6011-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6011



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6012-LT



6012-HL-1



6012-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6012




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6013-LT




6013-HL-1



6013-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6013



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6014-LT



6014-HL-1




6014-DK

DIGITAL 300X
WALL TILES 600mm

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6014-LT



6014-HI-2



6014-HL-3



6014-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6014



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6015-LT



6015-HL-1



6015-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6015



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6016-LT



6016-HL-1



6016-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6016



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6017-LT



6017-HL-1




6017-HL-2



6017-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6017



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy




6018-LT



6018-HL-1



6018-HL-2



6018-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6018



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6019-LT



6019-HL-1



6019-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6019



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6019-DK




6019-HL-1



6019-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6020



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6021-LT



6021-HL-1




6021-HL-2



6021-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6021



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6022-LT



6022-HL-1




6022-HL-2



6022-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6022



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6023-LT



6023-HL-1



6023-HL-2



6023-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6023



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



60124-LT



6024-HL-1



6024-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6024



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6025-LT



6025-HL-1



6025-HL-2



6025-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6025



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



60126-LT




6026-HL-1



6026-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6026



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



60127-LT




6027-HL-1



6027-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6027



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



60128-LT




6028-HL-1



6028-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6028



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6029-LT



6029-HL-1



6029-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6029



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6030-LT



6030-HL-1



6030-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6030



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6031-LT



6031-HL-1




6031-HL-2



6031-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6031



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6032-LT



6032-HL-1



6032-HL-2



6032-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6032



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6033-LT



6033-HL-1



6033-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6033



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6034-LT




6034-HL-1



6034-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6034



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6035-LT



6035-HL-1



6035-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6035



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6036-LT



6036-HL-1



6036-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6036



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6037-LT




6037-HL-1



6037-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6037



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6038-LT



6038-HL-1



6038-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6038



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6039-LT



6039-HL-1



6039-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6039



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6040-LT



6040-HL-1



6040-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6040



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6041-LT



6041-HL-1



6041-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6041



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6042-LT



6042-HL-1



6042-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6042




resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6043-LT



6043-HL-1



6043-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6043



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6044-LT




6044-HL-1



6044-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6044



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6045-LT



6045-HL-1



6045-HL-2



6045-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6045



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6046-LT




6046-HL-1



6046-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6046



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6047-LT




6047-HL-1



6047-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6047



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6048-LT




6048-HL-1



6048-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6048



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6049-LT




6049-HL-1



6049-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6049




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6050-LT




6050-HL-1



6050-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6050



TECHNICAL SPECIFICATION


Characteristics	Euro Standards EN-159/IS 13753	Value
DIMENSION & SURFACE QUALITY		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
PHYSICAL PROPERTIES		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm2	200 - 250 Kg/Cm2
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Crazing	1 Cycle	No Crazing at 5 Cycle
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS

PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x450 mm	8.5 mm	6 pcs	8.71 sq feet	11 kg.
300x300 mm	8.5 mm	8 pcs	9.69 sq feet	10 kg.
300x600 mm	9 mm	5 pcs	7.74 sq feet	14 kg.

Applications





TOPLEX
— GROUP OF COMPANY —

 +91 70168 69573

 Toplexgroupofcompany@gmail.com

