



TOPLEX
— GROUP OF COMPANY —



aw
some
Creating

DIGITAL WALL TILES

300x600mm



A B O U T
U S

TOPLEX is an ultra-modern wall tile manufacturer located at Morbi, Gujarat. **TOPLEX** is currently manufacturing wall tiles having vivid sizes.

Our vision is to provide our quality product all across the globe. We are planning to create every type of wall tiles with distinct textures, design, and colors. **TOPLEX** have united the toughness of Wall tiles with modern technology and customer aspirations to produce a range that is vast in choice. The motto is to be the best and to achieve the highest parameters of excellence.

feel


E L E
G A N T

300x600MM
DIGITAL WALL TILES




The material vibrates with light on the surface, transmitting a bewitchingly tactile, sensation of enveloping, protective warmth. This product brings together the sophisticated roots of craft tradition, adapting them to the needs of the contemporary home.

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6051-LT



6051-HL-1



6051-HL-2



6051-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6051



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6052-LT




6052-HL-1



6052-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6052



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6053-LT




6053-HL-1



6053-DK


DIGITAL 300X
WALL TILES 600mm




Tile Shown
6053



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6054-LT



6054-HL-1



6054-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6054



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6055-LT



6055-HL-1



6055-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6055



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6056-LT



6056-HL-1



6056-HL-2



6056-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6056



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6057-LT




6057-HL-1



6058-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6057



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6058-LT




6058-HL-1



6058-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6058




resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6059-LT



6059-HL-1



6059-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6059



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6060-LT



6060-HL-1



6060-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6060



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6061-LT



6061-HL-1



6061-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6061



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6062-LT



6062-HL-1



6062-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6062



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6063-LT




6063-HL-1



6063-LT

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6063




resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6064-LT



6064-HL-1



6064-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6064



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6065-LT



6065-HL-1




6065-HL-2



6065-LT

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6065



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6066-LT



6066-HL-1




6066-HL-2



6066-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6066




resistant to salts | eco sustainable | fire proof | frost proof | random desing


Finish:Glossy



6067-LT



6067-HL-1




6067-HL-2



6067-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6067




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6068-LT



6068-HL-1




6068-HL-2



6068-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6068




resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6069-LT




6069-HL-1



6060-LT

DIGITAL 300X
WALL TILES 600mm






Tile Shown
6069



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6070-LT



6070-HI-1




6070-HL-2



6070-LT

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6070



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6071-LT




6071-HL-1



6071-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6071



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6072-LT



6072-HL-1



6072-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6072




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6073-LT




6073-HL-1



6073-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6073



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6074-LT




6074-HL-1



6074-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6074



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6075-LT



6075-HL-1



6075-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6075



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6076-LT



6076-HL-1



6076-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6076



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6077-LT




6077-HL-1



6077-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6077




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6078-LT



6078-HL-1




6078-HL-2



6078-LT

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6078



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6079-LT



6079-HL-1




6079-HL-2



6079-DK

DIGITAL 300X
WALL TILES 600mm







Tile Shown
6079



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6080-LT




6080-HL-1



6080-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6080



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6081-LT



6081-HL-1



6081-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6081



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6082-LT



6082-HL-1



6082-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6082



resistant to salts | eco sustainable | fire proof | frost proof | random desing


Finish:Glossy



6083-LT



6083-HL-1



6083-HL-2



6083-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6083



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6084-LT




6084-HL-1



6084-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6084




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6085-LT



6085-HL-1



6085-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6085



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6086-LT




6086-HL-1



6086-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6086



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6087-LT



6087-HL-1



6087-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6087



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6088-LT




6088-HL-1



6088-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6088



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6089-LT




6089-HL-1



6089-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6089



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6090-LT





6090-HL-1



6090-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6090



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6091-LT



6091-HL-1



6091-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6091



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6092-LT





6092-HL-1



6092-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6092




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6093-LT




6093-HL-1



6093-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6093



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6094-LT



6094-HL-1



6094-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6094




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6095-LT






6095-HL-1



6095-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6095



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6096-LT



6096-HL-1



6096-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6096



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6097-LT




6097-HL-1



6097-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
6097




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6098-LT




6098-HL-1



6098-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
6098



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6099-LT




6099-HL-1



6099-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6099



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6100-LT



6100-HL-1



6100-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
6100



TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN-159/IS 13753	Value
DIMENSION & SURFACE QUALITY		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
PHYSICAL PROPERTIES		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm2	200 - 250 Kg/Cm2
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Crazing	1 Cycle	No Crazing at 5 Cycle
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS

PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x450 mm	8.5 mm	6 pcs	8.71 sq feet	11 kg.
300x300 mm	8.5 mm	8 pcs	9.69 sq feet	10 kg.
300x600 mm	9 mm	5 pcs	7.74 sq feet	14 kg.

Applications





TOPLEX
— GROUP OF COMPANY —

 +91 70168 69573

 Toplexgroupofcompany@gmail.com

