



**TOPLEX**  
— GROUP OF COMPANY —



aw  
some  
Creating

**DIGITAL WALL TILES**

**300x600mm**



A B O U T  
U S

**TOPLEX** is an ultra-modern wall tile manufacturer located at Morbi, Gujarat. **TOPLEX** is currently manufacturing wall tiles having vivid sizes.

Our vision is to provide our quality product all across the globe. We are planning to create every type of wall tiles with distinct textures, design, and colors. **TOPLEX** have united the toughness of Wall tiles with modern technology and customer aspirations to produce a range that is vast in choice. The motto is to be the best and to achieve the highest parameters of excellence.

*feel*

E L E  
G A N T

300x600MM  
DIGITAL WALL TILES



The material vibrates with light on the surface, transmitting a bewitchingly tactile, sensation of enveloping, protective warmth. This product brings together the sophisticated roots of craft tradition, adapting them to the needs of the contemporary home.

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6101-LT




6101-HL-1



6101-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6101




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6102-LT



6102-HI-1



6102-HL-2



6102-DK

DIGITAL 300X  
WALL TILES 600mm






Tile Shown  
6102



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6103-LT



6103-HL-1




6103-LT

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6103



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6104-LT



6104-HL-1



6104-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6104



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6105-LT



6105-HL-1



6105-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6105




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6106-LT



6106-HL-1



6106-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6106



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6107-LT



6107-HL-1





6107-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6107



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6108-LT



6108-HL-1



6108-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6108



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6109-LT




6109-HL-1



6109-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6109



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6110-LT




6110-HL-1



6110-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6110



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6111-LT



6111-HL-1



6111-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6111



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6112-LT



6112-HL-1



6112-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6112



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6113-LT




6113-HL-1



6113-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6113



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6114-LT




6114-HL-1



6114-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6114



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6115-LT



6115-HL-1



6115-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6115



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6116-LT



6116-HL-1



6116-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6116



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6117-LT




6117-HL-1



6117-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6117



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6118-LT




6118-HL-1



6118-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6118



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6119-LT



6119-HL-1



6119-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6119




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6121-LT



6121-HI-1







6121-HL-2



6121-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6121



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6122-LT



6122-HI-1



6122-HL-2



6122-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6122



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6123-LT



6123-HL-1



6123-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6123



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6124-LT



6124-HI-1



6124-HL-2



6124-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6124



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6125-LT



6125-HL-2



6125-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6125



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6126-LT



6126-HL-3



6126-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6126



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6127-LT



6127-HL-1



6127-HL-2



6127-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6127



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6128-LT



6128-HL-1



6128-HL-2



6128-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6128



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6129-LT



6129-HL-1



6129-HL-2



6129-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6129



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6130-LT



6130-HL-1



6130-DK

DIGITAL 300X  
WALL TILES 600mm

resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6130-LT



6130-HI-2




6130-HL-3



6130-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6130



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6132-LT



6132-HL-1



6132-HL-2



6132-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6132





resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6133-LT



6133-HL-1



6133-HL-2



6133-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6133



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6134-LT



6134-HL-1



6134-HL-2



6134-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6134



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6135-LT



6135-HL-1







6135-HL-2



6135-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6135



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6136-LT



6136-HL-1



6136-HL-2



6136-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6136





resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6137-LT



6137-HL-1



6137-HL-2



6137-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6137



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6138-LT



6138-HL-1



6138-HL-2



6138-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6138



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6139-LT



6139-HL-1




6139-HL-2



6139-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6139



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6140-LT



6140-HL-1



6140-HL-2



6140-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6140





resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6141-LT



6141-HL-1



6141-HL-2



6141-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6141



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6142-LT



6142-HL-1



6142-HL-2



6142-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6142



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6143-LT



6143-HL-1



6143-HL-2



6143-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6143



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6144-LT



6144-HL-1



6144-HL-2



6144-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6144







resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6145-LT



6145-HL-1




6145-DK

DIGITAL 300X  
WALL TILES 600mm

resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy




6145-LT



6145-HI-1




6145-HL-2



6145-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6145



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6146-LT




6146-HL-1



6146-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6146




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6147-LT



6147-HL-1



6147-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6147



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6148-LT



6148-HL-1




6148-HL-2



6148-LT

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6148



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6149-LT



6149-HL-1



6149-HL-2



6149-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6149



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6150-HL-1



6150-HI-2




6150-HL-3



6150-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6150



## TECHNICAL SPECIFICATION


Characteristics	Euro Standards EN-159/IS 13753	Value
<b>DIMENSION &amp; SURFACE QUALITY</b>		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
<b>PHYSICAL PROPERTIES</b>		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm2	200 - 250 Kg/Cm2
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Crazing	1 Cycle	No Crazing at 5 Cycle
<b>CHEMICAL PROPERTIES</b>		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
<b>THERMAL PROPERTIES</b>		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS

## PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x450 mm	8.5 mm	6 pcs	8.71 sq feet	11 kg.
300x300 mm	8.5 mm	8 pcs	9.69 sq feet	10 kg.
300x600 mm	9 mm	5 pcs	7.74 sq feet	14 kg.

### Applications





**TOPLEX**  
— GROUP OF COMPANY —

 +91 70168 69573

 [Toplexgroupofcompany@gmail.com](mailto:Toplexgroupofcompany@gmail.com)

