



**TOPLEX**  
— GROUP OF COMPANY —



aw  
some  
Creating

**DIGITAL WALL TILES**

**300x600mm**



A B O U T  
U S

**TOPLEX** is an ultra-modern wall tile manufacturer located at Morbi, Gujarat. **TOPLEX** is currently manufacturing wall tiles having vivid sizes.

Our vision is to provide our quality product all across the globe. We are planning to create every type of wall tiles with distinct textures, design, and colors. **TOPLEX** have united the toughness of Wall tiles with modern technology and customer aspirations to produce a range that is vast in choice. The motto is to be the best and to achieve the highest parameters of excellence.

*feel*

E L E  
G A N T

300x600MM  
DIGITAL WALL TILES



The material vibrates with light on the surface, transmitting a bewitchingly tactile, sensation of enveloping, protective warmth. This product brings together the sophisticated roots of craft tradition, adapting them to the needs of the contemporary home.

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6201-LT



6201-HL-1



6201-HL-2



6201-DK

DIGITAL 300X  
WALL TILES 600mm






Tile Shown  
6201



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6202-LT



6202-HL-1



6202-HL-2



6202-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6202



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6203-LT



6203-HL-1



6203-HL-2




6203-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6203




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6204-LT



6204-HL-1




6204-HL-2



6204-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6204



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6205-LT



6205-HL-1




6205-HL-2



6205-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6205



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6206-LT



6206-HL-1



6206-HL-2



6206-DK

DIGITAL 300X  
WALL TILES 600mm






Tile Shown  
6206



resistant to salts | eco sustainable | fire proof | frost proof | random desing


Finish:Glossy



6207-LT



6207-HL-1



6207-HL-2



6207-DK

DIGITAL 300X  
WALL TILES 600mm








Tile Shown  
6207



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6208-LT



6208-HL-1



6208-HL-2



6208-DK

DIGITAL 300X  
WALL TILES 600mm






Tile Shown  
6208



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6209-LT



6209-HL-1



6209-HL-2



6209-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6209



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6210-LT



6210-HL-1




6210-HL-2



6210-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6210



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6211-LT



6211-HL-1



6211-HL-2



6211-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6211



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6212-LT



6212-HL-1



6212-HL-2



6212-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6212



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6213-LT



6213-HL-1




6213-HL-2



6213-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6213



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6214-LT



6214-HL-1



6214-HL-2



6214-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6214



resistant to salts | eco sustainable | fire proof | frost proof | random desing


Finish:Glossy



6215-LT



6215-HL-1



6215-HL-2



6215-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6215



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6216-LT



6216-HL-1



6216-HL-2



6216-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6216



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6217-LT



6217-HL-1



6217-HL-2



6217-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6217



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6218-LT



6218-HL-1



6218-HL-2



6218-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6218



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6219-LT



6219-HL-1



6219-HL-2



6219-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6219



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6220-LT



6220-HL-1




6220-HL-2



6220-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6220




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6221-LT




6221-HL-1



6221-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6221




resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6222-LT



6222-HL-1






6222-HL-2



6222-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6222



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6223-LT



6223-HL-1




6223-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6223




resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6224-LT



6224-HL-1






6224-HL-2



6224-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6224



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6225-LT



6225-HL-1



6225-HL-2



6225-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6225



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6226-LT



6226-HL-1



6226-HL-2



6226-DK

DIGITAL 300X  
WALL TILES 600mm




Tile Shown  
6226



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6227-LT



6227-HL-1







6227-HL-2



6227-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6227



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6228-LT



6228-HL-1





6228-HL-2



6228-DK

DIGITAL 300X  
WALL TILES 600mm






Tile Shown  
6228



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6229-LT



6229-HL-1




6229-HL-2



6229-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6229



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6232-LT



6232-HL-1



6232-LT

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6232




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6233-LT



6233-HL-1




6233-LT

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6233



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6234-LT




6234-HL-1



6234-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6234



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6235-LT



6235-HL-1



6235-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6235



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6236-LT




6236-HL-1



6236-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6236



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6237-LT



6237-HL-1



6237-LT

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6237




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6238-LT




6238-HL-1



6238-LT

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6238




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6239-LT



6239-HL-1



6239-LT

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6039



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6240-LT



6240-HL-1



6240-LT

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6040



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6241-LT



6241-HL-1-P1



6241-HL-2-P2



6241-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6241



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6242-LT



6242-HL-1



6242-HL-2



6242-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6242



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy




6243-LT



6243-HL-1



6243-HL-2



6243-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6243



resistant to salts | eco sustainable | fire proof | frost proof | random desing


Finish:Glossy



6244-LT



6244-HL-1



6244-HL-2



6244-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6244




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6245-LT



6245-HL-1




6245-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6245



resistant to salts | eco sustainable | fire proof | frost proof | random desing

Finish:Glossy



6246-LT



6246-HL-1



6246-HL-2



6246-DK

DIGITAL 300X  
WALL TILES 600mm



Tile Shown  
6246



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6247-LT



6247-HL-1




6247-HL-2



6247-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6247



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6248-LT



6248-HL-1






6248-HL-2



6248-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6248




resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:Glossy



6249-LT



6249-HL-1



6249-HL-2



6249-DK

DIGITAL 300X  
WALL TILES 600mm







Tile Shown  
6249



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:Glossy



6250-LT



6250-HL-1



6250-DK

DIGITAL 300X  
WALL TILES 600mm





Tile Shown  
6250



## TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN-159/IS 13753	Value
<b>DIMENSION &amp; SURFACE QUALITY</b>		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
<b>PHYSICAL PROPERTIES</b>		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm2	200 - 250 Kg/Cm2
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Crazing	1 Cycle	No Crazing at 5 Cycle
<b>CHEMICAL PROPERTIES</b>		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
<b>THERMAL PROPERTIES</b>		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS

## PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x450 mm	8.5 mm	6 pcs	8.71 sq feet	11 kg.
300x300 mm	8.5 mm	8 pcs	9.69 sq feet	10 kg.
300x600 mm	9 mm	5 pcs	7.74 sq feet	14 kg.

### Applications





**TOPLEX**  
— GROUP OF COMPANY —

 +91 70168 69573

 [Toplexgroupofcompany@gmail.com](mailto:Toplexgroupofcompany@gmail.com)

