



TOPLEX
— GROUP OF COMPANY —



aw
some
Creating

DIGITAL WALL TILES

300x600mm



A B O U T
U S

TOPLEX is an ultra-modern wall tile manufacturer located at Morbi, Gujarat. **TOPLEX** is currently manufacturing wall tiles having vivid sizes.

Our vision is to provide our quality product all across the globe. We are planning to create every type of wall tiles with distinct textures, design, and colors. **TOPLEX** have united the toughness of Wall tiles with modern technology and customer aspirations to produce a range that is vast in choice. The motto is to be the best and to achieve the highest parameters of excellence.

feel

E L E
G A N T

300x600MM
DIGITAL WALL TILES



The material vibrates with light on the surface, transmitting a bewitchingly tactile, sensation of enveloping, protective warmth. This product brings together the sophisticated roots of craft tradition, adapting them to the needs of the contemporary home.

resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7101-LT



7101-HL-1



7101-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
7101




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7102-LT







7102-HL-1



7102-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
7102



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7103-LT



7103-HL-1



7103-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7103




resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7104-LT




7104-HL-1



7104-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7104



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7105-LT



7105-HL-1



7105-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
7105



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7106-LT



7106-HL-1



7106-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7106



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7107-LT



7107-HL-1



7107-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7107



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7108-LT



7108-HI-1



7108-HL-2



7108-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
7108



resistant to salts | eco sustainable | fire proof | frost proof | random desing




Finish:MATT



7109-LT



7109-HL-1



7109-DK


DIGITAL 300X
WALL TILES 600mm



Tile Shown
7109



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7110-LT




7110-HL-1



7110-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
7110



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7111-LT



7111-HL-1



7111-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7111



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7112-LT




7112-HL-1



7112-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
7112



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7113-LT



7113-HI-1



7113-HL-2



7113-DK

DIGITAL 300X
WALL TILES 600mm






Tile Shown
7113



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7114-LT



7114-HI-1



7114-HL-2



7114-DK

DIGITAL 300X
WALL TILES 600mm





Tile Shown
7114



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7115-DK




7115-HL-1



7115-DK


DIGITAL 300X
WALL TILES 600mm




Tile Shown
7115



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT




7116-LT



7116-HI-1



7116-HL-2



7116-DK

DIGITAL 300X
WALL TILES 600mm




Tile Shown
7116



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7117-LT



7117-HL-1



7117-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7117



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7118-LT




7118-HL-1



7118-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7118



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7119-LT



7119-HI-1




7119-HL-2



7119-DK

DIGITAL WALL TILES 300X 600mm





Tile Shown
7119



resistant to salts | eco sustainable | fire proof | frost proof | random desing



Finish:MATT



7120-LT



7120-HL-1



7120-DK

DIGITAL 300X
WALL TILES 600mm



Tile Shown
7120



TECHNICAL SPECIFICATION

Characteristics	Euro Standards EN-159/IS 13753	Value
DIMENSION & SURFACE QUALITY		
1) Dimension	± 0.5%	± 0.2%
2) Deviation in Thickness	± 0.6mm	± 0.2mm
3) Straightness of sides	± 0.3%	± 0.2%
4) rectangularity	± 0.5%	± 0.3%
5) Surface Flatness	± 0.5%	± 0.3%
6) Surface Quality	Min 95%	Min 96%
PHYSICAL PROPERTIES		
1) Water Absorption	>10%	14-17%
2) Bending Strength	>150 kg/Cm2	200 - 250 Kg/Cm2
3) Scratch hardness(Mohs)	Min 3	Min 3
4) Crazing	1 Cycle	No Crazing at 5 Cycle
CHEMICAL PROPERTIES		
1) Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemical, except Hydro Flouric Acid
2) Household Chemical	Min Class B	
THERMAL PROPERTIES		
1) Thermal Shock	Resistant to 10 Cycle	CONFORMS
2) Thermal Expansion	Max-9E-06	CONFORMS

PACKING DETAIL

Size	Thickness (Approx.)	Tiles Per Box	Coverage Area Per Box	Wt. of Box (Approx.)
300x450 mm	8.5 mm	6 pcs	8.71 sq feet	11 kg.
300x300 mm	8.5 mm	8 pcs	9.69 sq feet	10 kg.
300x600 mm	9 mm	5 pcs	7.74 sq feet	14 kg.

Applications





TOPLEX
— GROUP OF COMPANY —

 +91 70168 69573

 Toplexgroupofcompany@gmail.com

